

# XANTÉ

# X-16<sup>TM</sup>

## UV PRINTER



*Prints up to 18"x24"!*



***PRINT ON VIRTUALLY ANY MEDIA!***

***CMYK + WW***

***UP TO 2880 DPI RESOLUTION***

***PRINT ON MEDIA UP TO 7.75 INCHES TALL***

***SINGLE LED LAMP***

*(Instant Ink Curing)*



US: 251.473.6502  
EU: +31 (0) 26.319.3210  
***xante.com***

# BEST. EVER.

The X-UV Printer cannot be beat.

*Large flatbed printers designed for signage and graphics print at high speeds but are limited by substrate thickness.*

*Small format printers designed for specialty items print at slower speeds and are limited by substrate length and width.*

*The Xanté family of X-UV Printers do **BOTH**.  
It's the best of both worlds.*



**Signage • Manufacturing • Specialty Items • Industrial • Packaging**



**CONTACT US TODAY FOR MORE INFORMATION.**

**251.473.6502**




Simply Brilliant Color Workflow

**INCLUDED!**

Welcome to the iQueue 14 Prepress Software

Xante builds on its innovative workflow software with powerful team-based productivity in iQueue 14. True server-client operation enhances your workflow to optimize the talents and time of everyone involved in production. Take advantage of your entire team

Quickly and easily create new jobs.




of IT specialists, designers, and printer operators to simplify prepress tasks such as job sharing and job cost estimating, file editing tools, patented Right-On Spot Color Matching and much more. Create attention-grabbing displays with VividHD-UV ink. And, with instant curing, your customers will appreciate the fast, durable results.

iQueue features include:


- Independent CMYK Density Controls
- PANTONE® Color Library
- Right-ON® Spot Color Matching
- QR Code Generator
- Full Imposition and Tiling
- PDF-Out AND SO MUCH MORE!

Edit Job Images



- Edit Job Images
- Brightness
  - Contrast
  - Highlights
  - Shadows
  - Whites
  - Blacks
  - Color Temp
  - Tint
  - Saturation
  - Colorize

White Options



- Off
- Entire Job
- Underneath Print Areas
- Underneath Areas with Ink
- Change Spot Color to White



## SPECIFICATIONS



### PRINTING CAPABILITIES

Max. media size:	24" x 18" (60.9cm x 45.7cm)
Min. media size:	.5" x .5"
Max. print height:	7.75" ( 19.68cm)
Media transport:	24" x 19.7" (60.9cm x 50cm) Vacuum bed
Print colors:	CMYK + WW
Resolution:	720/1080/1440/2160/2880 DPI Resolutions
UV lamp:	Single LED, 385-415 nM, low heat curing lamp

### INK AND MEDIA

Ink type:	UV, 500 mL bottles per color The maximum shelf life is 1 (one) year from Date of Manufacture (DoM). Once opened, the shelf life is 2 (two) months or 1 (one) year from DoM, whichever comes first.
Media types:	PVC plastic, styrene, wood, aluminum, metal, acrylics, coroplast, ceramics, fabric, leather, composites, paperboard, foamboard, glass, carpet, tile and more

### PRINTER CONNECTIVITY

1-Gigabit Ethernet

### PREPRESS SOFTWARE

Xanté iQueue Workflow:	Adobe® PostScript® 3™, Independent CMYK Density Control, Spot Color Matching, Imposition, Digital File Editing, Variable Printing, and much more
------------------------	--

### WEIGHTS, DIMENSIONS

Dimensions:	28"L X 55"W X 32"H (71 x 139 x 81cm)
Net/Gross weight:	255lbs (115kg)
Power supply:	110v or 220v 50-60hz

### WORKING CONDITION

Operating temperature:	22-26°C (68°F - 78°F)
Relative humidity:	35-75RH

# XANTÉ

US: 251.473.6502  
EU: +31 (0) 26.319.3210

[xante.com](http://xante.com)



## Adobe® PostScript® 3™



**iQueue Simply Brilliant  
Workflow (Included)**

Digital Color Workflow with Advanced Color  
Matching and File Management Tools